

120000 liters tank in Acid-proof 316



726 000 SEK /st exkl moms

Additional information: Total height according to drawing; manhole diameter: 500mm

Volumetric volume (L): 120.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: flange DN100

Agitator: yes

Number of revolutions: 470

Power: 7,5

Top: 4 mm

Bottom: 6 mm

Internal diameter tank: 4.050 mm

Cylinder height: 9.000 mm

Total height of tank: 13.015 mm

SKU: 568871

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: Total height according to drawing; manhole diameter: 500mm; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 120000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 9,000 mm

Internal diameter: 4.050 mm

Total Height: 13.015 mm

Stirrer

Power (kW): 7,5

Speed (RPM): 470



Tjocklek på tank

Bottom: 6 mm

Top: 4 mm

Mer

Isolated: Yes