

1225 liter tank in Acid-proof 316



23 000 SEK /st exkl moms

Additional information: Cosmetics; Frame, Aisi 304; cone height approx. 400 mm; small dents on one side of the cylinder and the cylinder/bottom transitions (see photos); Outlet valve defective

Volumetric volume (L): 1.225 L

Pressure in tank: pressure

Max. pressure (Bar): 1 Bar



Max. temperature (°C): 120 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.190 mm

Cylinder height: 740 mm

Total height of tank: 1.950 mm

SKU: 434204

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Max. Service Temperature: 120 °C

Mobile Tank: No, it is not.

Övrig information: Cosmetics; Frame, Aisi 304; cone height approx. 400 mm; small dents on one side of the cylinder and the cylinder/bottom transitions (see photos); Outlet valve defective

Agitator: No

Overpressure: 1 bar

Complete Drainage: Yes

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 1225

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 740 mm

Internal diameter: 1,190 mm

Total Height: 1.950 mm

Mer

Isolated: No