

1240 liters tank in Stainless 304



191 000 SEK /st exkl moms

Additional information: Make: Unimix; manhole DN 350; test papers in French; Outlet flange inner diameter 127 mm (reduced to outlet DN 40 DIN 11851 due to several fittings)

Volumetric volume (L): 1.240 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 143 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 82 L

Max Overpressure: 4 Bar

Max onderdruk: 1 Bar

Max. working temperature: 151 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: available

Agitator: yes

Number of revolutions: 17 / 34

Power: 13.5 / 21

Cylinder: 10 mm

Bottom: 8 mm

Internal diameter tank: 1.154 mm

Outer diameter tank: 1.380 mm

Cylinder height: 822 mm

Total height of tank: 3.650 mm

SKU: 401819



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated with heat-exchanger

Max. Service Temperature: 143 °C

Mobile Tank: No, it is not.

Övrig information: Make: Unimix; manhole DN 350; test papers in French; Outlet flange inner diameter 127 mm (reduced to outlet DN 40 DIN 11851 due to several fittings); we can't give any guarantees about the

Additional Information2: heating/cooling jacket; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 3 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 1240

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.



Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 822 mm

Internal diameter: 1.154 mm

Total Height: 3.650 mm

Outer diameter: 1.380 mm

Stirrer

Power (kW): 13.5 / 21

Speed (RPM): 17 / 34

Tjocklek på tank

Bottom: 8 mm

Cylinder: 10 mm

Mer

Isolated: Yes