

1250 liter tank in Acid-proof 316



189 000 SEK /st exkl moms

Additional information: Food industry; Agitators, Aisi 304 (1.4301); 1 rectangular opening approx. 410 x 540 mm in the upper bottom; some residues of previous content

Volumetric volume (L): 1.250 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 80 °C



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 8 L

Max Overpressure: 6 Bar

Max. working temperature: 260 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 70

Agitator: yes

Number of revolutions: 456

Power: 3

Internal diameter tank: 1.240 mm

Outer diameter tank: 1.400 mm

Cylinder height: 1.000 mm

Total height of tank: 3.100 mm

Empty weight tank: 750

SKU: 411194



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Max. Service Temperature: 80 °C

Mobile Tank: No, it is not.

Övrig information: Food industry; Agitators, Aisi 304 (1.4301); 1 rectangular opening approx. 410 x 540 mm in the upper bottom; some residues of previous content; we can't give any guarantees about the heating/cooling

Additional Information2: jacket; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 1250

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.000 mm

Internal diameter: 1.240 mm

Total Height: 3.100 mm

Outer diameter: 1.400 mm



Stirrer

Power (kW): 3

Speed (RPM): 456

Mer

Isolated: Yes

Weight: 750