

1250 liter tank in Acid-proof 316



25 000 SEK /st exkl moms

Additional information: Frame, Aisi 304 (1.4541); internal dimensions approx. 950 x 1,165 mm; wall height approx. 1,150 mm; manhole diameter approx. 440 mm; traces of usage

Volumetric volume (L): 1.250 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN65 DIN 11851

Total height of tank: 1.750 mm

Total outer width: 1.040 mm

Total outer length: 1.250 mm

SKU: 484286

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Frame, Aisi 304 (1.4541); internal dimensions approx. 950 x 1,165 mm; wall height approx. 1,150 mm; manhole diameter approx. 440 mm; traces of usage

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 1250

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Total Height: 1.750 mm

Mer

Isolated: No