

12500 liter tank in Acid-proof 316



150 000 SEK /st exkl moms

Additional information: Chemistry; 4 support brackets, Fe (1 x 1 piece of the support plate cut off); 2 of the former 4 baffles inside the tank were cut off by the previous operator (see photos); some residues of previous content; manhole cover plated

Volumetric volume (L): 12.500 L

Pressure in tank: ATM - atmospheric



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 50

Agitator: yes

Number of revolutions: 58 - 200

Top: 4,80 mm

Cylinder: 4 mm

Bottom: 3,80 mm

Internal diameter tank: 2.200 mm

Cylinder height: 2.800 mm

Total height of tank: 5.500 mm

SKU: 399602

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Chemistry; 4 support brackets, Fe (1 x 1 piece of the support plate cut off); 2 of the former 4 baffles inside the tank were cut off by the previous operator (see photos) ; some residues of previous

Additional Information2: content;manhole cover plated; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 12500

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 2,800 mm

Internal diameter: 2,200 mm

Total Height: 5.500 mm

Stirrer

Speed (RPM): 58 – 200

**Tjocklek på tank**

Bottom: 3,80 mm

Cylinder: 4 mm

Top: 4,80 mm

Mer

Isolated: No