

12500 liters tank in Stainless 304



178 000 SEK /st exkl moms

Additional information: chemistry; drawings of a tank and agitator similar in design are available; some residues of previous content; manhole cover plated

Volumetric volume (L): 12.500 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: 175

Agitator: yes

Number of revolutions: 7

Power: 2

Internal diameter tank: 2.000 mm

Outer diameter tank: 2.060 mm

Cylinder height: 3.530 mm

Total height of tank: 6.100 mm

SKU: 391343

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single jacketed with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: chemistry; drawings of a tank and agitator similar in design are available; some residues of previous content; manhole cover plated; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 12500

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3,530 mm

Internal diameter: 2,000 mm

Total Height: 6.100 mm

Outer diameter: 2,060 mm

Stirrer

Power (kW): 2

Speed (RPM): 7



Mer

Isolated: No