

1300 liter tank in Acid-proof 316



135 000 SEK /st exkl moms

Additional information: Pharmaceutical Chemistry; 1 vessel is missing the agitator; 1 vessel with insulation; 2 stainless steel 304 claws (contact surface the other way round; flanges partly made of Fe (see photos); some residues of previous content

Volumetric volume (L): 1.300 L

Pressure in tank: pressure and vacuum



Max. pressure (Bar): 3,20 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 23 L

Max Overpressure: 16 Bar

Max. working temperature: 200 °C

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN80

Agitator: yes

Number of revolutions: 571

Power: 1,10

Top: 4,10 mm

Cylinder: 5 mm

Bottom: 3 mm

Internal diameter tank: 990 mm

Cylinder height: 1.330 mm

SKU: 397967



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single jacketed with heat-exchanger

Max. Service Temperature: 200 °C

Mobile Tank: No, it is not.

Övrig information: Pharmaceutical Chemistry; With 1 vessel the agitator is missing; 1 tank with insulation; 2 claws made of V2A (contact surface the other way around; flanges partly made of Fe (see photos) ; some

Additional Information2: residues of previous content; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 3,20 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 1300

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.



Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.330 mm
Internal diameter: 990 mm

Stirrer

Power (kW): 1,10
Speed (RPM): 571

Tjocklek på tank

Bottom: 3 mm
Cylinder: 5 mm
Top: 4,10 mm

Mer

Isolated: No