

1300 liter tank in Acid-proof 316



68 000 SEK /st exkl moms

Additional information: Manhole diameter approx. 420 mm

Volumetric volume (L): 1.300 L

Pressure in tank: ATM - atmospheric

Max. pressure (Bar): 0,10 Bar



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 50

Agitator: yes

Number of revolutions: 970 / 1465

Power: 2.8 / 4.2

Cylinder: 2,90 mm

Bottom: 4 mm

Internal diameter tank: 1.140 mm

Cylinder height: 1.000 mm

Total height of tank: 2.950 mm

Empty weight tank: 600

SKU: 486203



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Pharmacy; Manhole diameter approx. 420 mm; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 0,10 bar

Complete Drainage: Yes

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 1300

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.000 mm

Internal diameter: 1.140 mm

Total Height: 2,950 mm



Stirrer

Power (kW): 2.8 / 4.2

Speed (RPM): 970 / 1465

Tjocklek på tank

Bottom: 4 mm

Cylinder: 2,90 mm

Mer

Isolated: No

Weight: 600