

1340 liters tank in Stainless 304



58 000 SEK /st exkl moms

Additional information: Food industry; Spout with fitting (see photos)

Volumetric volume (L): 1.340 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 85 °C



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 65

Agitator: yes

Number of revolutions: 138

Power: 1,10

Internal diameter tank: 1.290 mm

Cylinder height: 870 mm

Total height of tank: 2.180 mm

SKU: 425264

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Max. Service Temperature: 85 °C

Mobile Tank: No, it is not.

Övrig information: Food industry; Outlet with fitting (see photos); we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 1340

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 870 mm

Internal diameter: 1.290 mm

Total Height: 2,180 mm

Stirrer

Power (kW): 1,10

Speed (RPM): 138

Mer

Isolated: No