1345 liter tank in Acid-proof 316

119 000 SEK /st exkl moms

Additional information: Pharmaceutical Chemistry; 2 stainless steel 304 claws (contact surface the other way round; see photos); 1 vessel is fitted with insulation (see photos); flanges partly made of Fe; some residues of previous content
Volumetric volume (L): 1.345 L
Pressure in tank: pressure and vacuum

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Max. pressure (Bar): 3,20 Bar
Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C
Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Volume: 24 L
Max Overpressure: 16 Bar

Max. working temperature: 200 °C
Type HE on the bottom: half pipe welded onto the outside of the innertank
Type HE on the cylinder: half pipe welded onto the outside of the innertank
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: flange DN80
Agitator: yes
Number of revolutions: 313

Power: 1,10
Cylinder: 5 mm
Bottom: 4,40 mm
Internal diameter tank: 1.000 mm
Cylinder height: 1.370 mm

Total height of tank: 2.900 mm

SKU: 397940

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer information

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure and vacuum
Configuration: single jacketed with heat-exchanger
Max. Service Temperature: 200 °C
Mobile Tank: No, it is not.
Övrig information: Pharmaceutical Chemistry; 2 support brackets made of Aisi 304 (contact surface the other way around; see photos); 1 vessel is equipped with insulation (see photos); flanges partly Fe; some residues
Additional Information2: of previous content; we can't give any guarantees about the agitator
Agitator: Yes
Overpressure: 3,20 bar
Complete Drainage: Yes
Vacuum Pressure: 1 bar
Pressure Vessel: Yes
Heating / Cooling: Yes
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 1345

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Tank Dimensions
Cylinder Height: 1.370 mm
Internal diameter: 1.000 mm
Total Height: 2,900 mm

Stirrer
Power (kW): 1,10
Speed (RPM): 313

Tjocklek på tank
Bottom: 4,40 mm
Cylinder: 5 mm

Mer
Isolated: No

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor