

1350 liters tank in Stainless 304



101 000 SEK /st exkl moms

Additional information: Original calculation overpressure of the inner tank according to technical documents 6.3 bar (test overpressure 8.2 bar); agitator in the manhole cover was probably retrofitted by the previous operator; some residues of previous content

Volumetric volume (L): 1.350 L

Pressure in tank: pressure



Max. pressure (Bar): 6,30 Bar

Min. pressure (Bar): 6,30 Bar

Max. temperature (°C): 120 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 20 L

Max Overpressure: 10 Bar

Max. working temperature: 140 °C

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN32

Agitator: yes

Number of revolutions: 720 / 970

Power: 0.75 / 1.3

Top: 7,90 mm

Cylinder: 6 mm

Internal diameter tank: 1.100 mm

Outer diameter tank: 1.350 mm

Cylinder height: 1.100 mm

Total height of tank: 2.900 mm

SKU: 572006



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: insulated with heat-exchanger

Max. Service Temperature: 120 °C

Mobile Tank: No, it is not.

Övrig information: Original calculation overpressure of the inner tank according to technical documents 6.3 bar (test overpressure 8.2 bar); agitator in the manhole cover was probably retrofitted by the previous

Additional Information2: operator; some residues of previous content; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 6.30 bar

Complete Drainage: Yes

Vacuum Pressure: 6,30 Bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 1350

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.



Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.100 mm

Internal diameter: 1.100 mm

Total Height: 2,900 mm

Outer diameter: 1.350 mm

Stirrer

Power (kW): 0.75 / 1.3

Speed (RPM): 720 / 970

Tjocklek på tank

Cylinder: 6 mm

Top: 7.90 mm

Mer

Isolated: Yes