

13500 liters tank in Stainless 304



154 000 SEK /st exkl moms

Additional information: Brewery; Test certificate available; 1 heating / cooling ring (approx. 125 mm wide) around the lower cylinder area; 1 foot without height-adjustable screw and slightly shorter (presumably formerly with load cell (no longer available); this would have to be compensated for on site during installation); see photos

Volumetric volume (L): 13.500 L



Pressure in tank: pressure

Max. pressure (Bar): 4 Bar

Max. temperature (°C): 20 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Max Overpressure: 4 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.980 mm

Cylinder height: 3.750 mm

Total height of tank: 5.000 mm

Empty weight tank: 1.400

SKU: 400841

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Max. Service Temperature: 20 °C

Mobile Tank: No, it is not.

Övrig information: Brewery; Test certificate available; 1 heating / cooling ring (approx. 125 mm wide) around the lower cylinder area; 1 foot without height-adjustable screw and slightly shorter (presumably formerly)

Additional Information2: with load cell (no longer available); this would have to be compensated for on site during installation); see photos

Agitator: No

Overpressure: 4 bars

Complete Drainage: Yes

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 13500

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3.750 mm

Internal diameter: 1.980 mm

Total Height: 5,000 mm



Mer

Isolated: No

Weight: 1.400
