

1356 liter tank in Acid-proof 316





87 000 SEK /st exkl moms

Additional information: Pharmaceutical chemistry; 3 feet, stainless steel 304 screwed to stainless steel 304 brackets; 1 longitudinal sight glass in the cylinder and 1 in the base; there is a fitting on the spout, inner tube diameter approx. 38 mm; manhole cover is missing

Volumetric volume (L): 1.356 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 2 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: flange DN80

Agitator: yes

Number of revolutions: 26 - 156

Power: 2,50

Top: 8,80 mm

Cylinder: 5 mm

Bottom: 5 mm

Internal diameter tank: 1.200 mm

Cylinder height: 900 mm

Total height of tank: 3.250 mm



SKU: 406571

Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single-skin

Max. Service Temperature: 200 °C

Mobile Tank: No, it is not.

Övrig information: Pharmaceutical chemistry; 3 feet, Aisi 304 screwed to support brackets, Aisi 304; 1 longitudinal sight glass each in the cylinder and in the lower bottom; on the outlet there is a fitting with a

Additional Information2: pipe diameter of approx. 38 mm inside ; manhole cover is missing; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 2 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 1356



Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 900 mm
Internal diameter: 1.200 mm
Total Height: 3.250 mm

Stirrer

Power (kW): 2,50
Speed (RPM): 26 – 156

Tjocklek på tank

Bottom: 5 mm
Cylinder: 5 mm
Top: 8,80 mm

Mer

Isolated: No