

## 13600 liter tank in Acid-proof 316



142 000 SEK /st exkl moms

**Additional information:** waterfilter in the beverage industry; welded filter plate inside (see pictures); output 60 cbm/h; nozzles of the filter plate made of plastic; some residues of previous content

**Volumetric volume (L):** 13.600 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 6 Bar



**Max. temperature (°C):** 100 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Max Overpressure:** 6 Bar

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** flange DN100

**Cylinder:** 7,60 mm

**Bottom:** 11,50 mm

**Internal diameter tank:** 2.280 mm

**Cylinder height:** 2.500 mm

**Total height of tank:** 4.450 mm

**SKU:** 389618

## Mer information



## Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Max. Service Temperature: 100 °C

Mobile Tank: No, it is not.

Övrig information: waterfilter in the beverage industry; welded filter plate inside (see pictures); output 60 cbm/h; nozzles of the filter plate made of plastic; some residues of previous content

Agitator: No

Overpressure: 6 bars

Complete Drainage: Yes

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 13600

## Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

## Material Overview

Material: Acid-resistant 316

## Tank Dimensions

Cylinder Height: 2.500 mm

Internal diameter: 2,280 mm

Total Height: 4,450 mm

**Tjocklek på tank**

Bottom: 11,50 mm

Cylinder: 7,60 mm

**Mer**

Isolated: No