# 13700 liter tank in Acid-proof 316



168 000 SEK /st exkl moms

**Additional information**: yeast tank in a brewery; Cone height approx. 1,300 mm
**Volumetric volume (L)**: 13.700 L
**Pressure in tank**: pressure
**Max. pressure (Bar)**: 1 Bar

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

**Min. pressure (Bar)**: 1 Bar

**Max. temperature (°C)**: 20 °C
**Material wet parts**: SS AISI 316 (V4A)
**Model**: vertical
**Configuration**: single-skin
**Heat exchanger**: no

**Insulation**: no
**Mobile tank**: no
**Total discharge**: yes
**Volume**: 40 L
**Max Overpressure**: 3 Bar

**Max. working temperature**: 2 °C
**Documents included**: no
**Technical drawing included**: no
**Registration plate on the tank**: yes
**Flange for agitator**: no

**Position of manway**: headside
**Outlet of tank**: DN65 DIN 11851
**Cylinder**: 3 mm
**Bottom**: 4 mm
**Internal diameter tank**: 2.600 mm

**Cylinder height**: 1.800 mm
**Total height of tank**: 4.650 mm

**SKU:** 396053

# Mer information

**Product Description**

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure
Configuration: single jacketed with heat-exchanger
Max. Service Temperature: 20 °C
Mobile Tank: No, it is not.
Övrig information: yeast tank in a brewery; cone height appr. 1.300 mm
Agitator: No
Overpressure: 1 bar
Complete Drainage: Yes
Vacuum Pressure: 1 bar
Pressure Vessel: Yes
Heating / Cooling: Yes
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 13700

**Equipment**

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

**Material Overview**

Material: Acid-resistant 316

**Tank Dimensions**

Cylinder Height: 1.800 mm
Internal diameter: 2.600 mm
Total Height: 4.650 mm

**Tjocklek på tank**
Bottom: 4 mm
Cylinder: 3 mm

**Mer**
Isolated: No