

14000 liters tank in Stainless 304



100 000 SEK /st exkl moms

Additional information: recycling industry; insulation jacket with dents and cut-outs; 1 opening appr. 310 mm in the upper bottom; feet plates bent; 1 tank with dents in the cylinder; the other tank with stronger adhesions inside and a hole in the outlet pipe; some residues of previous content

Volumetric volume (L): 14.000 L

Pressure in tank: ATM - atmosferic



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 85

Agitator: yes

Number of revolutions: 20

Power: 2,20

Internal diameter tank: 1.990 mm

Outer diameter tank: 2.200 mm

Cylinder height: 4.000 mm

Total height of tank: 6.200 mm

SKU: 394001

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: recycling industry; insulation jacket with dents and cut-outs; 1 opening appr. 310 mm in the upper bottom; feet plates bent; 1 tank with dents in the cylinder; the other tank with stronger adhesions

Additional Information2: inside and a hole in the outlet pipe; some residues of previous content; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 14000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 4,000 mm

Internal diameter: 1,990 mm

Total Height: 6.200 mm

Outer diameter: 2,200 mm



Stirrer

Power (kW): 2,20

Speed (RPM): 20

Mer

Isolated: Yes