

14000 liters tank in Stainless 304



115 000 SEK /st exkl moms

Additional information: Double jacket, Aisi 304 for heating/cooling around the lower cylinder area and the lower bottom; lower inner bottom with dents; Manhole approx. 320 x 420 mm (1 connection in the manhole cover torn; see photos); some residues of previous content

Volumetric volume (L): 14.000 L

Pressure in tank: ATM - atmospheric



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 100

Agitator: yes

Number of revolutions: 9,50

Power: 11

Cylinder: 4,10 mm

Bottom: 4,10 mm

Internal diameter tank: 2.400 mm

Outer diameter tank: 2.480 mm

Cylinder height: 2.980 mm

Total height of tank: 5.350 mm

SKU: 399863



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single jacketed with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: Double jacket, Aisi 304 for heating/cooling around the lower cylinder area and the lower bottom; lower inner bottom with dents; Manhole approx. 320 x 420 mm (1 connection in the manhole cover torn;

Additional Information2: see photos) ; some residues of previous content; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 14000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304



Tank Dimensions

Cylinder Height: 2,980 mm
Internal diameter: 2,400 mm
Total Height: 5.350 mm
Outer diameter: 2,480 mm

Stirrer

Power (kW): 11
Speed (RPM): 9,50

Tjocklek på tank

Bottom: 4,10 mm
Cylinder: 4,10 mm

Mer

Heat Exchanger: RVS 304
Isolated: No