

14300 liters tank in Stainless 304



90 000 SEK /st exkl moms

Additional information: coatings industry; 2 feet shorter than the others; feet with a welded metall part or a steel girder under the bottom plate (see pictures); for installation the feet needs to be reworked; diameter manhole 600 mm; some residues of previous content; manhole cover plated

Volumetric volume (L): 14.300 L

Pressure in tank: pressure



Max. pressure (Bar): 0,50 Bar

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Max Overpressure: 0,50 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 88

Cylinder: 3 mm

Bottom: 4 mm

Internal diameter tank: 2.480 mm

Cylinder height: 2.250 mm

Total height of tank: 3.750 mm

SKU: 394142

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: coatings industry; 2 feet shorter than the others; feet with a welded metall part or a steel girder under the bottom plate (see pictures); for installation the feet needs to be reworked; diameter

Additional Information2: manhole 600 mm; some residues of previous content;manhole cover plated

Agitator: No

Overpressure: 0,50 bar

Complete Drainage: Yes

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 14300

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 2,250 mm

Internal diameter: 2,480 mm

Total Height: 3.750 mm



Tjocklek på tank

Bottom: 4 mm

Cylinder: 3 mm

Mer

Isolated: No