

150 liter tank in Acid-proof 316



293 000 SEK /st exkl moms

Additional information: Vessel was only tested for validation purposes; technical documentation was ordered from the manufacturer, but has not yet arrived; plastic rollers for the feet were unscrewed for shipping, but are enclosed loose (see photos)

Volumetric volume (L): 150 L

Pressure in tank: pressure and vacuum



Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 95 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 11 L

Max Overpressure: 6 Bar

Max onderdruk: 1 Bar

Max. working temperature: 95 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 25

Agitator: yes

Number of revolutions: 125 - 800

Power: 0,09

Top: 6 mm

Cylinder: 5 mm

Bottom: 4 mm

Internal diameter tank: 490 mm

Outer diameter tank: 550 mm

Cylinder height: 630 mm

Total height of tank: 1.750 mm

SKU: 483806



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated with heat-exchanger

Max. Service Temperature: 95 °C

Mobile Tank: No, it is not.

Övrig information: Vessel was only used for validation and never went into service; technical documentation was ordered from the manufacturer but has not yet arrived; plastic casters on the feet were unscrewed for

Additional Information2: shipping but are included loose (see photos); we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 3 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 150

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.



Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 630 mm

Internal diameter: 490 mm

Total Height: 1.750 mm

Outer diameter: 550 mm

Stirrer

Power (kW): 0,09

Speed (RPM): 125 – 800

Tjocklek på tank

Bottom: 4 mm

Cylinder: 5 mm

Top: 6 mm

Mer

Isolated: Yes