

150 liter tank in stainless steel 304



27 000 SEK /st exkl moms

item available on order

Article type: brand new mixing tank

Additional information: open tank on 3 legs; disk agitator in SS stainless-steel AISI 304 (V2A): 0,37 kW - 1.500 rpm; lantern ring in aluminium

Volumetric volume (L): 150 L

Max. density P (kg/m³): 1.000

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin



Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: eccentric bridge

Shape of tank: cylindrical

Bottom type: flat

Bottom outlet: yes

Total discharge: no

Fixation points: 3 non adjustable feet

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Tank outlet: inside Ø 32 mm

Outlet type: BSP male

Agitator type: disk agitator

Position engine: at the top

Number of revolutions: 1.500

Power: 0,37

Outer diameter tank: 630 mm

Total height of tank: 980 mm

Empty weight tank: 85

SKU: 374591



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Newly manufactured

Configuration: single-skin

Maximum Product Density: 1000

Mobile Tank: No, it is not.

Övrig information: open tank on 3 legs; disk agitator in SS stainless-steel AISI 304 (V2A): 0,37 kW
– 1.500 rpm; lantern ring in aluminum

Agitator: No

Tank Shape: cylindrical

Complete Drainage: No, it is not.

Bottom Type: flat

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 150

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: No, it is not.

Tank Outlet: inside Ø 32 mm

Technical Drawing Available: No, it is not.

Outlet Type: BSP MALE

Material Overview

Material: Stainless steel 304

Tank Dimensions

Total Height: 980 mm

Outer diameter: 630 mm



Stirrer

Power (kW): 0,37

Motor Position: at the top

Agitator Type: disk agitator

Speed (RPM): 1.500

Mer

Isolated: No

Weight: 85