

1500 liter tank in 304 stainless steel



54 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: Filter tank for beer

Volumetric volume (L): 1.500 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): -10 °C

Min. temperature (°C): 100 °C

Material wet parts: SS AISI 304 (V2A)

Model: horizontal

Configuration: insulated

Heat exchanger: no



Insulation: yes

Mobile tank: no

Top type: bridge with 2 lids

Shape of tank: rectangular

Bottom type: flat sloping

Total discharge: yes

Fixation points: 6 adjustable feet

Insulation material: PUR

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Tank outlet: inside Ø 32 mm

Outlet type: DIN11851 male

Total outlet valve: no

Insulation thickness: 50

Total height of tank: 1.700 mm

Total outer width: 1.100 mm

Total outer length: 2.500 mm

Empty weight tank: 500

SKU: 386522

Mer information



Product Description

Food-grade: Yes
Material: Stainless steel 304
Model: Horizontal
New / Used: Used
Operating Pressure in Tank:
Configuration: insulated
Max. Service Temperature: -10 °C
Min. Operating Temperature: 100 °C
Mobile Tank: No, it is not.
Övrig information: Filter tank for beer
Agitator: No
Tank Shape: rectangular
Complete Drainage:
Bottom Type: flat slope
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 1500

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Food-grade: Yes
Tank Outlet: inside Ø 32 mm
Technical Drawing Available: No, it is not.
Outlet Type: DIN11851 male
Outlet Valve: No, it is not.

Material Overview

Material: Stainless steel 304
Insulation material: PUR

Tank Dimensions

Total Height: 1.700 mm

Outer Cladding and Insulation Thickness

Insulation material: PUR

Mer

Insulation Thickness OW: 50

Isolated: Yes

Weight: 500