

1500 liter tank in 304 stainless steel



45 000 SEK /st exkl moms

Additional information: Biochemistry; Armaflex insulation in parts of the cylinder; manhole approx. 325 x 420 mm; 3 baffles and 1 perforated pipe inside the vessel (see photos)

Volumetric volume (L): 1.500 L

Pressure in tank: pressure

Max. pressure (Bar): 6 Bar



Min. pressure (Bar): 6 Bar

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: flange DN80

Internal diameter tank: 1.100 mm

Cylinder height: 1.250 mm

Total height of tank: 2.700 mm

SKU: 564754

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: Biochemistry; Armaflex insulation in parts of the cylinder; manhole approx.

325 x 420 mm; 3 baffles and 1 perforated pipe inside the vessel (see photos)

Agitator: No

Overpressure: 6 bars

Complete Drainage: Yes

Vacuum Pressure:

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 1500

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.250 mm

Internal diameter: 1.100 mm

Total Height: 2,700 mm

Mer

Isolated: Yes