

1500 liter tank in 304 stainless steel



37 000 SEK /st exkl moms

Article type: second-hand transport tank

Volumetric volume (L): 1.500 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: horizontal

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Shape of tank: oval



Bottom type: dished
Total discharge: yes
Fixation points: supports for platform
Insulation material: Rockwool
Outer jacket (ornamental wall): polyester

Manway(s): RVS 304
Gasket manway(s): unknown
Fixation point(s): painted steel
Suitable for food industry: yes
Documents included: no

Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Number of manways: 1
Position of manway: at the top

Height manhole 1 (mm): 400 mm
Tank outlet: inside Ø 65 mm
Total height of tank: 1.370 mm
Total outer width: 1.750 mm
Total outer length: 1.320 mm

Empty weight tank: 420

SKU: 481615

Mer information



Product Description

Food-grade: Yes
Material: Stainless steel 304
Model: Horizontal
New / Used: Used
Operating Pressure in Tank:
Configuration: insulated
Mobile Tank: No, it is not.
Agitator: No
Tank Shape: oval
Complete Drainage:
Bottom Type: dish
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 1500

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Food-grade: Yes
Tank Outlet: inside Ø 65 mm
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304
Fixing point(s): painted steel
Insulation material: Rockwool
Exterior cladding: polyester

Tank Dimensions

Total Height: 1.370 mm

Outer Cladding and Insulation Thickness

Insulation material: Rockwool

Mer

Isolated: Yes

Weight: 420