1500 liter tank in Acid-proof 316

59 000 SEK /st exkl moms

Additional information: CIP tank in the pharmacy; Dimensions according to drawing
Volumetric volume (L): 1,550 L
Pressure in tank: ATM - atmospheric
Max. temperature (°C): 85 °C

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Material wet parts: SS AISI 316 (V4A)

Model: vertical
Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: headside
Outlet of tank: flange DN50
Top: 3 mm
Cylinder: 3 mm
Bottom: 3 mm

Internal diameter tank: 1.244 mm
Outer diameter tank: 1,350 mm
Cylinder height: 1,000 mm
Total height of tank: 2.350 mm

SKU: 483216

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: insulated
Max. Service Temperature: 85 °C
Mobile Tank: No, it is not.
Övrig information: CIP tank in the pharmacy; Dimensions according to drawing
Agitator: No
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 1550

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.000 mm
Internal diameter: 1.244 mm
Total Height: 2.350 mm
Outer diameter: 1.350 mm

Tjocklek på tank

Bottom: 3 mm
Cylinder: 3 mm
Top: 3 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer
Isolated: Yes