

15000 liters tank in Stainless 304



178 000 SEK /st exkl moms

Volumetric volume (L): 15.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical



Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: flange DN100

Agitator: yes

Number of revolutions: 20

Power: 22

Outer diameter tank: 2.500 mm

Cylinder height: 3.000 mm

Total height of tank: 5.700 mm

Empty weight tank: 3.000

SKU: 568577

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: food; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 15000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3,000 mm

Total Height: 5.700 mm

Outer diameter: 2.500 mm

Stirrer

Power (kW): 22

Speed (RPM): 20



Mer

Isolated: No

Weight: 3.000
