15000 liters tank in Stainless 304

172 000 SEK /st exkl moms

Volumetric volume (L): 15.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Configuration: single-skin

Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes
Documents included: no

Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: in the bottom
Outlet of tank: flange DN65

Agitator: yes
Number of revolutions: 28 / 34
Power: 11 / 11
Outer diameter tank: 2.500 mm
Cylinder height: 3.000 mm

Total height of tank: 6.100 mm
Empty weight tank: 2.000

SKU: 569237

Mer information

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: food; we can't give any guarantees about the agitator
Agitator: Yes
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 15000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3,000 mm
Total Height: 6.100 mm
Outer diameter: 2.500 mm

Stirrer

Power (kW): 11 / 11
Speed (RPM): 28 / 34

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer
Isolated: No
Weight: 2.000