

15000 liters tank in Stainless 304



97 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: There is still some leftover from the previous product; the previous product was beer

Volumetric volume (L): 15.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no



Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: dished

Bottom outlet: yes

Total discharge: no

Fixation points: 3 non adjustable feet

Type of HE on the cylinder: dimple-jacket

Position HE: top side of the cylinder

Height per section: 900 mm

Water pressure HE: 2 Bar

Heat exchanger: RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Agitator: no, optional

Distance from outlet to ground: 180 mm

Outer diameter tank: 2.500 mm

Cylinder height: 3.000 mm

Total height of tank: 4.400 mm

Empty weight tank: 1.200

SKU: 421118



Mer information

Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single jacketed with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: There is still some leftover from the previous product; the previous product was beer

Agitator: No

Tank Shape: cylindrical

Complete Drainage: No, it is not.

Bottom Type: dish

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 15000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Food-grade: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304



Tank Dimensions

Cylinder Height: 3,000 mm
Outlet Height to Ground: 180mm
Total Height: 4,400 mm
Outer diameter: 2.500 mm

Heat exchangers

Position värmeväxlare: top side of the cilinder
Type of Heat Exchanger on Cylinder: dimple jacket
Water Pressure Heat Exchanger: 2 bars

Mer

Heat Exchanger: RVS 304
Isolated: No
Weight: 1.200