

15000 liters tank in Stainless 304



86 000 SEK /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 15.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 4 non adjustable feet

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 500 mm



Tank outlet: inside Ø 85 mm

Agitator: no, optional

Distance from outlet to ground: 200 mm

Outer diameter tank: 2.300 mm

Cylinder height: 3.750 mm

Total height of tank: 4.750 mm

Empty weight tank: 800

SKU: 563740

Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank:

Configuration: single-skin

Mobile Tank: No, it is not.

Agitator: No

Tank Shape: cylindrical

Complete Drainage:

Bottom Type: conical

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 15000



Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Tank Outlet: inside Ø 85 mm
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304
Fixing point(s): RVS 304

Tank Dimensions

Cylinder Height: 3.750 mm
Outlet Height to Ground: 200 mm
Total Height: 4.750 mm
Outer diameter: 2,300 mm

Mer

Isolated: No
Weight: 800