15000 liters tank in Stainless 304

96 000 SEK /st exkl moms

Article type: second-hand storage tank
Volumetric volume (L): 15.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Top type: conical

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Shape of tank: cylindrical
Bottom type: conical
Bottom outlet: yes
Total discharge: yes
Fixation points: 3 adjustable feet

Manway(s): RVS 304
Gasket manway(s): unknown
Fixation point(s): RVS 304
Suitable for food industry: yes
Documents included: no

Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Number of manways: 1
Position of manway: cylinder

Hinged lid: yes
Tank outlet: inside Ø 80 mm
Adjustable legs: yes
Tank location: outside
Agitator: no

Distance from outlet to ground: 1.000 mm
Outer diameter tank: 3.100 mm
Cylinder height: 2.000 mm
Total height of tank: 4.250 mm
Empty weight tank: 850

SKU: 486560

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer information

Product Description

Food-grade: Yes
Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank:
Configuration: single-skin
Mobile Tank: No, it is not.
Agitator: No
Tank Shape: cylindrical
Complete Drainage:
Bottom Type: conical
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 15000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Food-grade: Yes
Tank Outlet: inside Ø 80 mm
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304
Fixing point(s): RVS 304

Tank Dimensions

Cylinder Height: 2,000 mm
Outlet Height to Ground: 1.000 mm
Total Height: 4.250 mm
Outer diameter: 3.100 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer
Isolated: No
Weight: 850