

150000 liters tank in Stainless 304





849 000 SEK /st exkl moms

Additional information: Methanol; Diameter manhole 600 mm; green stains on one part of the insulation area (where it was wind protected) can be removed easily.; some residues of previous content

Volumetric volume (L): 150.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 60 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 80

Top: 6 mm

Bottom: 8 mm

Internal diameter tank: 3.800 mm

Cylinder height: 13.180 mm

SKU: 402509



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Max. Service Temperature: 60 °C

Mobile Tank: No, it is not.

Övrig information: Methanol; Diameter manhole 600 mm; green stains on one part of the insulation area (where it was wind protected) can be removed easily.; some residues of previous content

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 150000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 13.180 mm

Internal diameter: 3,800 mm



Tjocklek på tank

Bottom: 8 mm

Top: 6 mm

Mer

Isolated: Yes