

1520 liters tank in Stainless 304



53 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: the tanks have never been used

Volumetric volume (L): 1.520 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Top type: dished
Shape of tank: cylindrical
Bottom type: flat sloping
Total discharge: yes
Fixation points: 4 non adjustable feet

Manway(s): RVS 304
Gasket manway(s): EPDM
Valve: RVS 304
Fixation point(s): RVS 304
Suitable for food industry: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Number of manways: 1

Position of manway: at the top
Height manhole 1 (mm): 400 mm
Outlet type: DN 50
Total outlet valve: yes
Top: 2 mm

Cylinder: 2 mm
Bottom: 2 mm
Outer diameter tank: 1.084 mm
Cylinder height: 1.500 mm
Feet height: 415 mm

Total height of tank: 2.220 mm
Empty weight tank: 560

SKU: 388487



Mer information

Product Description

Food-grade: Yes
Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: The tanks have never been used
Agitator: No
Tank Shape: cylindrical
Complete Drainage: Yes
Bottom Type: flat slope
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 1520

Equipment

Product Dokument finns: No
Agitator flange: No
Nameplate: No, it is not.
Food-grade: Yes
Technical Drawing Available: No, it is not.
Outlet Type: DN 50
Outlet Valve: Yes

Material Overview

Material: Stainless steel 304
Fixing point(s): RVS 304



Tank Dimensions

Cylinder Height: 1.500 mm
Height on legs: 415 mm
Total Height: 2,220 mm
Outer diameter:

Tjocklek på tank

Bottom: 2 mm
Cylinder: 2 mm
Top: 2 mm

Mer

Isolated: No
Weight: 560