

1540 liter tank in Stainless 304



246 000 SEK /st exkl moms

Additional information: Homogenizer on the underbody (see photos) is included in the scope of delivery

Volumetric volume (L): 1.540 L

Pressure in tank: pressure

Max. pressure (Bar): 3 Bar



Min. pressure (Bar): 3 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: no

Volume: 100 L

Max Overpressure: 6 Bar

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Agitator: yes

SKU: 563824

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: insulated with heat-exchanger

Max. Service Temperature: 200 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; Homogenizer on the underbody (see photos) is included in the scope of delivery; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the

Additional Information2: agitator

Agitator: Yes

Overpressure: 3 bars

Complete Drainage: No, it is not.

Vacuum Pressure: 3 bars

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 1540

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Mer

Isolated: Yes