16000 liters tank in Acid-proof 316

135 000 SEK /st exkl moms

Article type: second-hand storage tank
Volumetric volume (L): 16.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)
Model: horizontal

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Shape of tank: cylindrical

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Wall type: conical
Total discharge: yes
Fixation points: 4 adjustable feet
Manway(s): RVS 316
Fixation point(s): RVS 304

Suitable for food industry: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Number of manways: 1
Position of manway: headside
CIP spray ball: no
Total outlet valve: yes
Adjustable legs: yes

Agitator: no
Outer diameter tank: 2.400 mm
Total height of tank: 2.800 mm
Total outer length: 4.000 mm
Empty weight tank: 1.000

SKU: 384062

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Food-grade: Yes
Material: Acid-resistant 316
Model: Horizontal
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Agitator: No
Tank Shape: cylindrical
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 16000

Equipment

Product Dokument finns: No
Agitator flange: No
Nameplate: Yes
Food-grade: Yes
Technical Drawing Available: No, it is not.
Outlet Valve: Yes

Material Overview

Material: Acid-resistant 316
Fixing point(s): RVS 304

Tank Dimensions

Total Height: 2,800 mm
Outer diameter: 2,400 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer
Isolated: No
Weight: 1.000