

16000 liters tank in Stainless 304



161 000 SEK /st exkl moms

Additional information: Double jacket with trickle ring - only suitable for unpressurized temperature control

Volumetric volume (L): 16.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: yes

Position of manway: cylinder

Outlet of tank: available

Internal diameter tank: 2.500 mm

Cylinder height: 3.150 mm

Total height of tank: 5.400 mm

Empty weight tank: 2.000

SKU: 569072

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single jacketed with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: Food; Double jacket with trickle ring – only suitable for unpressurized temperature control

Agitator: No

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 16000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: Yes

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3.150 mm

Internal diameter: 2.500 mm

Total Height: 5,400 mm

Mer

Isolated: No

Weight: 2.000