

16000 liters tank in Stainless 304



78 000 SEK /st exkl moms

Additional information: coatings industry; tanks with partly strong dents; outlet goes over the end of the feet (see pictures), for installation this must be considered; diameter manhole 600 mm; some residues of previous content

Volumetric volume (L): 16.000 L

Pressure in tank: ATM - atmospheric



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: available

Top: 2 mm

Cylinder: 2 mm

Bottom: 3 mm

Internal diameter tank: 2.590 mm

Cylinder height: 3.000 mm

Total height of tank: 4.000 mm

SKU: 393749

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: coatings industry; tanks with partly strong dents; outlet goes over the end of the feet (see pictures), for installation this must be considered; diameter manhole 600 mm; some residues of previous

Additional Information2: happy

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 16000

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3,000 mm

Internal diameter: 2.590 mm

Total Height: 4,000 mm

**Tjocklek på tank**

Bottom: 3 mm

Cylinder: 2 mm

Top: 2 mm

Mer

Isolated: No