

16000 liters tank in Stainless 304



133 000 SEK /st exkl moms

Additional information: Dairy; 1 manhole diameter 500 mm in the front floor (the locking toggle screw is missing on 1 tank); 6 loose concrete bases are included in the scope of delivery on request (if these bases were used, the total height would increase accordingly); smaller dents in the insulation jacket; a rectangular stainless steel sheet was welded into the insulation jacket on top of the tanks; 1 small meat sheet cutout in the outlet area of the front bottom (see Photos); pipe end cut flush



Volumetric volume (L): 16.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: horizontal

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: yes
Outlet of tank: 80

Internal diameter tank: 2.390 mm
Outer diameter tank: 2.500 mm
Total height of tank: 3.000 mm
Total outer length: 4.750 mm

SKU: 405662

Mer information



Product Description

Material: Stainless steel 304

Model: Horizontal

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: Dairy; 1 manhole diameter 500 mm in the front floor (the locking toggle screw is missing on 1 tank); 6 loose concrete bases are included in the scope of delivery on request (if these bases were

Additional Information2:

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 16000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: Yes

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Internal diameter: 2.390 mm

Total Height: 3,000 mm

Outer diameter: 2.500 mm

Mer

Isolated: Yes

