

16000 liters tank in Stainless 304



131 000 SEK /st exkl moms

Additional information: Fruit juice; Manhole approx. 320 x 420 mm; 1 vessel with minor dents, 2 vessels with stronger dents (one with small sheet metal cracks in one of the dents); height-adjustable dome screws of the feet partially missing

Volumetric volume (L): 16.000 L

Pressure in tank: ATM - atmospheric



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 100

Agitator: yes

Number of revolutions: 730 / 1455

Power: 13 / 19

Internal diameter tank: 1.990 mm

Cylinder height: 5.000 mm

Total height of tank: 6.300 mm

SKU: 399668

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Fruit juice; Manhole approx. 320 x 420 mm; 1 tanks with smaller dents, 2 tanks with strong dents (1 with small cracks in one of the dents); height-adjustable screws of the feet are partially

Additional Information2: missing; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 16000

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 5,000 mm

Internal diameter: 1,990 mm

Total Height: 6.300 mm

Stirrer

Power (kW): 13 / 19

Speed (RPM): 730 / 1455



Mer

Isolated: No