

16300 liters tank in Stainless 304



247 000 SEK /st exkl moms

Article type: second-hand pressure tank

Volumetric volume (L): 16.300 L

Pressure in tank: vacuum

Max. pressure (Bar): 0,50 Bar

Min. pressure (Bar): -1 Bar

Max. temperature (°C): 50 °C

Min. temperature (°C): -10 °C

Material wet parts: SS AISI 304L (V2A)

Model: horizontal

Configuration: single-skin



Heat exchanger: no

Insulation: no

Mobile tank: no

Shape of tank: cylindrical

Wall type: dished

Total discharge: yes

Fixation points: 2 saddles

Fixation point(s): painted steel

Suitable for food industry: yes

Documents included: yes, optional

Technical drawing included: yes

Registration plate on the tank: yes

Flange for agitator: no

Tank outlet: inside Ø 100 mm

Internal diameter tank: 1.800 mm

Outer diameter tank: 2.000 mm

Cylinder height: 6.000 mm

Empty weight tank: 2.800

SKU: 479195

Mer information



Product Description

Food-grade: Yes
Material: Stainless steel 304
Model: Horizontal
New / Used: Used
Operating Pressure in Tank: vacuum
Configuration: single-skin
Max. Service Temperature: 50 °C
Min. Operating Temperature: -10 °C
Mobile Tank: No, it is not.
Agitator: No
Overpressure: 0,50 bar
Tank Shape: cylindrical
Complete Drainage:
Vacuum Pressure: -1 bar
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304L (V2A)
Volume in liters: 16300

Equipment

Agitator flange: No
Nameplate: Yes
Food-grade: Yes
Tank Outlet: inside Ø 100 mm
Technical Drawing Available: Yes

Material Overview

Material: Stainless steel 304
Fixing point(s): painted steel

Tank Dimensions

Cylinder Height: 6,000 mm
Internal diameter: 1.800 mm
Outer diameter: 2,000 mm



Mer

Isolated: No

Weight: 2.800