16842 liters tank in Stainless 304

149 000 SEK /st exkl moms

Additional information: chemistry; some residues of previous content
Volumetric volume (L): 16.842 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: available
Agitator: yes
Number of revolutions: 129
Power: 2,20
Cylinder: 3 mm

Bottom: 3,90 mm
Internal diameter tank: 2.800 mm
Cylinder height: 2.000 mm
Total height of tank: 4.550 mm

SKU: 390488

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: chemistry; some residues of previous content; we can't give any guarantees about the agitator
Agitator: Yes
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 16842

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 2,000 mm
Internal diameter: 2,800 mm
Total Height: 4,550 mm

Stirrer

Power (kW): 2,20
Speed (RPM): 129

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Tjocklek på tank
Bottom: 3.90 mm
Cylinder: 3 mm

Mer
Isolated: No