

16971 liters tank in Stainless 304



144 000 SEK /st exkl moms

Additional information: Half-pipe coil 3 systems (16, 41 & 59 liters); small pressure marks in the cylinder; fastenings of the manhole cover mostly missing; ladder bracket bent (see photos); some residues of previous content

Volumetric volume (L): 16.971 L

Pressure in tank: pressure



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 116 L

Max Overpressure: 0,90 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN50 DIN 11851

Top: 3 mm

Cylinder: 3 mm

Bottom: 4 mm

Internal diameter tank: 2.530 mm

Cylinder height: 2.990 mm

Total height of tank: 4.200 mm

SKU: 434084

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single jacketed with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: Half coil 3 systems (16, 41 & 59 liters); small dents in the cylinder; Fasteners for the manhole cover are mostly missing; Ladder bracket bent (see photos); some residues of previous content

Additional Information2: happy

Agitator: No

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 16971

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 2,990 mm

Internal diameter: 2,530 mm

Total Height: 4.200 mm

**Tjocklek på tank**

Bottom: 4 mm

Cylinder: 3 mm

Top: 3 mm

Mer

Isolated: No