

1700 liter tank in Stainless 304



39 000 SEK /st exkl moms

Article type: second-hand mixing tank

Additional information: The tank is placed on a scale.; we can't give any guarantees about the agitator

Volumetric volume (L): 1.700 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Top type: flat

Shape of tank: cylindrical

Bottom type: flat

Total discharge: yes

Fixation points: not foreseen

Manway(s): RVS 304

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: headside

Height manhole 1 (mm): 500 mm x H 650 mm

Tank outlet: inside Ø 50 mm

Agitator: yes

Agitator type: disk agitator

Position engine: at the top

Voltage: three-phase

Internal diameter tank: 1.504 mm

Distance from outlet to ground: 205 mm

Outer diameter tank: 1.600 mm

Cylinder height: 1.000 mm

Total height of tank: 1.650 mm

Empty weight tank: 600

SKU: 701972



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: The tank is placed on a scale. The scale is in working order; however, we cannot provide any guarantees regarding the agitator.

Agitator: Yes

Tank Shape: cylindrical

Complete Drainage: Yes

Bottom Type: flat

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 1700

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Tank Outlet: inside Ø 50 mm

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.000 mm

Internal diameter: 1,504 mm

Outlet Height to Ground: 205 mm

Total Height: 1.650 mm

Outer diameter: 1.600 mm



Stirrer

Motor Position: at the top
Agitator Type: disk agitator
Voltage: three-phase

Mer

Isolated: No
Weight: 600