

17300 liter tank in Stainless 304



214 000 SEK /st exkl moms

Additional information: colour industry; 1 tank (internal no. 7081-3) with a smaller dent and a trimmed connection in the upper bottom; some residues of previous content

Volumetric volume (L): 17.300 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 100 °C



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 50

Agitator: yes

Number of revolutions: 47 / 95

Power: 17 / 27

Cylinder: 8 mm

Bottom: 4 mm

Internal diameter tank: 2.900 mm

Cylinder height: 1.800 mm

Total height of tank: 5.100 mm

SKU: 390446

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Max. Service Temperature: 100 °C

Mobile Tank: No, it is not.

Övrig information: color industry; 1 tank (internal no. 7081-3) with a smaller dent and a trimmed connection in the upper bottom; some residues of previous content; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 17300

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.800 mm

Internal diameter: 2,900 mm

Total Height: 5.100 mm

Stirrer

Power (kW): 17 / 27

Speed (RPM): 47 / 95



Tjocklek på tank

Bottom: 4 mm

Cylinder: 8 mm

Mer

Isolated: No