

## 17452 liter tank in Syrafast 316



247 000 SEK /st exkl moms

**Additional information:** Beverage industry; 1 foot without height-adjustable screw to accommodate a load cell (no longer available)

**Volumetric volume (L):** 17.452 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 6 Bar



**Min. pressure (Bar):** 1 Bar

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** 65

**Agitator:** yes

**Number of revolutions:** 92

**Power:** 3

**Cylinder:** 6 mm

**Bottom:** 6 mm

**Internal diameter tank:** 2.400 mm

**Cylinder height:** 3.000 mm

**Total height of tank:** 5.200 mm

**SKU:** 433592



## Mer information

### Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Beverage industry; 1 foot without height-adjustable screw to accommodate a load cell (no longer available); we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 6 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 17452

### Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

### Material Overview

Material: Acid-resistant 316

### Tank Dimensions

Cylinder Height: 3,000 mm

Internal diameter: 2,400 mm

Total Height: 5.200 mm



## **Stirrer**

Power (kW): 3

Speed (RPM): 92

## **Tjocklek på tank**

Bottom: 6 mm

Cylinder: 6 mm

## **Mer**

Isolated: No