

17500 liters tank in Stainless 304



133 000 SEK /st exkl moms

Additional information: Wine storage; Manhole approx. 325 x 425 mm; 1 handhole diameter 200 mm in the upper bottom; outlet DN 100 DIN 11851, screwed on a taper with disc tap DN 50 DIN 11851 (see photos); wall thickness of the lowest cylinder segment: 2.5 mm; If you are looking for an identical tank to this item, we may be able to offer you an identical one from an external stock (no guarantee).

Volumetric volume (L): 17.500 L



Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Top: 2,50 mm
Cylinder: 2 mm
Bottom: 2,90 mm
Internal diameter tank: 2.330 mm
Cylinder height: 3.950 mm

Total height of tank: 5.000 mm
Empty weight tank: 1.200

SKU: 400196

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank:

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Wine storage; Manhole approx. 325 x 425 mm; 1 handhole diameter 200 mm in the upper bottom; Outlet DN 100 DIN 11851, screwed on a taper with butterfly valve DN 50 DIN 11851 (see photos); Wall

Additional Information2: the lowest cylinder segment: 2.5 mm; If you are looking for an identical tank to this item, we may be able to offer you an identical one from an external stock (no guarantee).

Agitator: No

Complete Drainage: No, it is not.

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 17500

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3.950 mm

Internal diameter: 2,330 mm

Total Height: 5,000 mm

**Tjocklek på tank**

Bottom: 2,90 mm

Cylinder: 2 mm

Top: 2,50 mm

Mer

Isolated: No

Weight: 1.200