

17600 liter tank in Acid-proof 316



490 000 SEK /st exkl moms

Additional information: Specified tank dimensions according to drawing; slight differences in the design of the two tanks (e.g., small dimensional deviations; nozzle positions); manhole DN 600; planned use: storage tank for WFI water

Volumetric volume (L): 17.600 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 4 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 150 °C

Material wet parts: SS AISI 316 (V4A)

Model: horizontal



Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: 100

Cylinder: 9,40 mm

Bottom: 8 mm

Internal diameter tank: 2.200 mm

Outer diameter tank: 2.511 mm

Total height of tank: 3.500 mm

Total outer length: 5.160 mm

SKU: 488274

Mer information



Product Description

Material: Acid-resistant 316

Model: Horizontal

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated

Max. Service Temperature: 150 °C

Mobile Tank: No, it is not.

Övrig information: Specified tank dimensions according to drawing; slight differences in the design of the two tanks (e.g., small dimensional deviations; nozzle positions); manhole DN 600;

planned use: storage tank

Additional Information2: for WFI water

Agitator: No

Overpressure: 4 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 17600

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Internal diameter: 2,200 mm

Total Height: 3.500 mm

Outer diameter: 2.511 mm

**Tjocklek på tank**

Bottom: 8 mm

Cylinder: 9,40 mm

Mer

Isolated: Yes