180 liter tank in stainless steel 304

45 000 SEK /st exkl moms

Additional information: Diameter hand hole 200 mm; some residues of previous content
Volumetric volume (L): 180 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket
Documents included: no
Technical drawing included: no
Registration plate on the tank: no

Flange for agitator: no
Outlet of tank: DN40 DIN 11851
Agitator: yes
Number of revolutions: 224
Power: 0,55

Internal diameter tank: 640 mm
Outer diameter tank: 690 mm
Total height of tank: 1.950 mm

SKU: 483932

Mer information

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single jacketed with heat-exchanger
Mobile Tank: No, it is not.
Övrig information: Diameter handhole 200 mm; some residues of previous content; we can't give any guarantees about the agitator
Agitator: Yes
Complete Drainage: Yes
Heating / Cooling: Yes
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 180

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Internal diameter: 640 mm
Total Height: 1.950 mm
Outer diameter: 690 mm

Stirrer

Power (kW): 0,55
Speed (RPM): 224

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer
Isolated: No

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor