

1800 liter tank in 304 stainless steel



41 000 SEK /st exkl moms

Article type: second-hand transport tank

Volumetric volume (L): 1.800 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304L (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: conical



Shape of tank: cylindrical
Bottom type: strong conical 60 °
Total discharge: yes
Fixation points: 4 non adjustable feet
Manway(s): RVS 304L

Gasket manway(s): unknown
Valve: RVS 304L
Gasket shut-off valve (mat): unknown
Fixation point(s): RVS 304L
Suitable for food industry: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Number of manways: 1

Position of manway: at the top
Height manhole 1 (mm): 400 mm
Tank outlet: inside Ø 250 mm
Total outlet valve: yes
Agitator: no

Top: 2 mm
Cylinder: 2 mm
Bottom: 2 mm
Distance from outlet to ground: 300 mm
Outer diameter tank: 1.195 mm

Cylinder height: 1.250 mm
Height of bottom: 800 mm
Total height of tank: 2.500 mm
Total outer width: 1.195 mm
Total outer length: 1.195 mm

Empty weight tank: 250

SKU: 381971



Mer information

Product Description

Food-grade: Yes
Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Agitator: No
Tank Shape: cylindrical
Complete Drainage: Yes
Bottom Type: strong conical 60 °
Heating / Cooling: No
Contact Surface: SS AISI 304L (V2A)
Volume in liters: 1800

Equipment

Product Dokument finns: No
Agitator flange: No
Nameplate: No, it is not.
Food-grade: Yes
Tank Outlet: inside Ø 250 mm
Technical Drawing Available: No, it is not.
Outlet Valve: Yes

Material Overview

Material: Stainless steel 304
Fixing point(s): RVS 304L



Tank Dimensions

Cylinder Height: 1.250 mm

Outlet Height to Ground: 300 mm

Total Height: 2.500 mm

Outer diameter: 1,195 mm

Tjocklek på tank

Bottom: 2 mm

Cylinder: 2 mm

Top: 2 mm

Mer

Isolated: No

Weight: 250