

1800 liter tank in 304 stainless steel



46 000 SEK /st exkl moms

Article type: second-hand fermentation tank

Additional information: ex beer tanks, still some traces of beer in the tank

Volumetric volume (L): 1.800 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no



Top type: flat sloping
Shape of tank: cylindrical
Bottom type: flat sloping
Total discharge: yes
Fixation points: 3 adjustable feet

Position HE: the middle part of the cylinder
Height per section: 500 mm
Water pressure HE: 2 Bar
Working temperature HE cylinder: -10 °C
Heat exchanger: RVS 304

Manway(s): RVS 304
Gasket manway(s): unknown
Valve: RVS 304
Gasket shut-off valve (mat): unknown
Fixation point(s): RVS 304

Suitable for food industry: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no

Number of manways: 1
Position of manway: cylinder
Height manhole 1 (mm): 330 mm x H 430 mm
Tank outlet: inside Ø 50 mm
Outlet type: DIN11851

Total outlet valve: yes
Distance from outlet to ground: 220 mm
Outer diameter tank: 1.200 mm
Cylinder height: 1.550 mm
Total height of tank: 2.200 mm

Empty weight tank: 200

SKU: 482664



Mer information

Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single jacketed with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: ex beer tanks, still some traces of beer in the tank

Agitator: No

Tank Shape: cylindrical

Complete Drainage: Yes

Bottom Type: flat slope

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 1800

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: No, it is not.

Food-grade: Yes

Tank Outlet: inside Ø 50 mm

Technical Drawing Available: No, it is not.

Outlet Type: DIN11851

Outlet Valve: Yes



Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304

Tank Dimensions

Cylinder Height: 1.550 mm

Outlet Height to Ground: 220 mm

Total Height: 2,200 mm

Outer diameter: 1.200 mm

Heat exchangers

Operating Temperature Heat Exchanger Cylinder: -10 °C

Position värmeväxlare: the middle part of the cilinder

Water Pressure Heat Exchanger: 2 bars

Mer

Heat Exchanger: RVS 304

Isolated: No

Weight: 200