18000 liters tank in Stainless 304

159 000 SEK /st exkl moms

Additional information: Water tank; 1 front head for a plug-in heater screwed into the cylinder (tube bundle no longer present); slight pitting corrosion inside the tank
Volumetric volume (L): 18.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: in the bottom

Outlet of tank: flange DN80
Internal diameter tank: 2.390 mm
Outer diameter tank: 2.610 mm
Cylinder height: 4.000 mm
Total height of tank: 5.750 mm

SKU: 399332

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: insulated
Mobile Tank: No, it is not.
Övrig information: Water tank; 1 front head for a plug-in heater screwed into the cylinder (tube bundle no longer present); slight pitting corrosion inside the tank
Agitator: No
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 18000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 4,000 mm
Internal diameter: 2.390 mm
Total Height: 5.750 mm
Outer diameter: 2.610 mm

Mer

Isolated: Yes

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor